



BENTLEY

AADL Cat.# W322

Order Form - AADL

Prices in Canadian Dollars. October 1, 2021
Select store location - AADL Numbers
 Calgary - AADL 00000 78000 003
 Edmonton - AADL 00000 78000 001
 Grande Prairie - AADL 0000 665538 001

| Customer and Order Information | | |
|--|------------------|---|
| Purchase Order * | Tag | v.0901 |
| Dealer/Provider Name * | | |
| Purchaser Name and Contact Information * | | |
| Shipping Address * | | |
| User Information (if available) | Weight _____ lbs | Height _____ ft/in *required |

| Base Chair | |
|---|----------|
| <input checked="" type="checkbox"/> 1001000 Bentley 20° Manual Tilt Wheelchair | \$ 3,735 |
| <input type="checkbox"/> Also available: the lightweight Bentley LT with aluminum frame. See separate order form. pdgmobility.com/blt | |

| Weight Capacity | |
|---|---|
| Chair Weight Capacity | |
| <input type="checkbox"/> 1002000 250 lbs Capacity Available for 14" to 22" Seat Width. | |
| <input type="checkbox"/> 1002050 300 lbs Capacity Available for 14" to 22" Seat Width. | \$ 200 |
| <input type="checkbox"/> 1005006 450 lbs Capacity Available for 16" to 32" Seat Width. Requires 20" Composite or 24" Heavy Duty Spoke Wheels. Fixed Axles only. Not compatible with TTDS. | \$ 500 |
| User Weight Range Required for setup of tilt uplift force. | |
| <input type="checkbox"/> 1002430 Up to 75 lbs | <input type="checkbox"/> 1002431 75 lbs to 100 lbs |
| <input type="checkbox"/> 1002433 115 lbs to 150 lbs | <input type="checkbox"/> 1002432 100 lbs to 115 lbs |
| <input type="checkbox"/> 1002436 250 lbs to 300 lbs | <input type="checkbox"/> 1002434 150 lbs to 200 lbs |
| | <input type="checkbox"/> 1002435 200 lbs to 250 lbs |
| | <input type="checkbox"/> 1002437 300 lbs to 375 lbs |
| | <input type="checkbox"/> 1002438 375 lbs to 450 lbs |

| Frame Options | |
|---|--------|
| <input type="checkbox"/> 1002200 Extended Base with Rear Floor Jacks | \$ 900 |
| Lifts Rear Wheels off ground for increased stability. Limited ground clearance. Not compatible with Attendant Wheel Lock, HD Anti-Tipper, IV Pole, O2 Holder. | |
| <input type="checkbox"/> 1002300 Transit Tie Down System (TTDS) | |
| TTDS includes 4 factory-installed transport brackets. TTDS has been tested according to ANSI/RESNA WC 19. See Owners Manual for complete details. Not compatible Seat Widths greater than 22". Tested to max. Weight Capacity of 300 lbs. | |

| Seat Width | |
|---|---|
| Overall chair width is +9.5" with 12/16" Rear Wheels and +10.5" with 20/22/24" Rear Wheels. | |
| Standard Seat Widths | |
| <input type="checkbox"/> 1003014 14" Seat Width | <input type="checkbox"/> 1003015 15" Seat Width |
| <input type="checkbox"/> 1003017 17" Seat Width | <input type="checkbox"/> 1003016 16" Seat Width |
| <input type="checkbox"/> 1003020 20" Seat Width | <input type="checkbox"/> 1003018 18" Seat Width |
| | <input type="checkbox"/> 1003019 19" Seat Width |
| | <input type="checkbox"/> 1003021 21" Seat Width |
| | <input type="checkbox"/> 1003022 22" Seat Width |
| Custom Seat Widths Requires 450 lbs Weight Capacity Frame. Extended delivery lead times may apply. | |
| <input type="checkbox"/> 1003023 23" Seat Width | <input type="checkbox"/> 1003024 24" Seat Width |
| <input type="checkbox"/> 1003026 26" Seat Width | <input type="checkbox"/> 1003025 25" Seat Width |
| <input type="checkbox"/> 1003028 28" Seat Width | <input type="checkbox"/> 1003027 27" Seat Width |
| <input type="checkbox"/> 1003031 31" Seat Width | <input type="checkbox"/> 1003029 29" Seat Width |
| | <input type="checkbox"/> 1003030 30" Seat Width |
| | <input type="checkbox"/> 1003032 32" Seat Width |

| Seat Depth | |
|---|---|
| Standard Seat Depths (Adjustable) | |
| <input type="checkbox"/> 1004016 16" Seat Depth | <input type="checkbox"/> 1004017 17" Seat Depth |
| <input type="checkbox"/> 1004019 19" Seat Depth | <input type="checkbox"/> 1004018 18" Seat Depth |
| | <input type="checkbox"/> 1004020 20" Seat Depth |
| Custom Seat Depths | |
| <input type="checkbox"/> 1004021 21" Seat Depth | <input type="checkbox"/> 1004022 22" Seat Depth |
| | \$ 400 |

- Calgary - AADL 00000 78000 003
- Edmonton - AADL 00000 78000 001
- Grande Prairie - AADL 0000 665538 001

Frame Color

PDG Premium Colors

| | | |
|--|--|---|
| <input type="checkbox"/> 1005000 Tracer Red | <input type="checkbox"/> 1005001 Gloss Black Shimmer | <input type="checkbox"/> 1005002 Silver |
| <input type="checkbox"/> 1005003 Fine Texture Black | <input type="checkbox"/> 1005004 Orange Fusion | <input type="checkbox"/> 1005005 Karl's Imagination |
| <input type="checkbox"/> 1005006 Blue Shimmer | <input type="checkbox"/> 1005007 Gloss White | <input type="checkbox"/> 1005008 Dark Titanium |
| <input type="checkbox"/> 1005009 Geyser Green | <input type="checkbox"/> 1005010 Lollypop Blue | <input type="checkbox"/> 1005011 Lollypop Red |
| <input type="checkbox"/> 1005012 Bubble Gum Pink | <input type="checkbox"/> 1005013 Berry Purple | <input type="checkbox"/> 1005014 Daffodil Yellow |
| <input type="checkbox"/> 1005200 Custom Color Contact PDG for specifications. | | |
| | | \$ 300 |

Armrests

| | | | |
|--|--|--|--------|
| <input type="checkbox"/> 1006000 No Armrests | | | \$ 295 |
| Single Post Height Adjustable Armrests Not compatible with the 450 lbs Weight Capacity Frame. | | | |
| <input type="checkbox"/> 1006111 8"-11" Range | <input type="checkbox"/> 1006114 10"-14" Range | | |
| Dual Post Height Adjustable Armrests Required for the 450 lbs Weight Capacity Frame. | | | \$ 295 |
| <input type="checkbox"/> 1006211 8"-11" Range | <input type="checkbox"/> 1006214 10"-14" Range | <input type="checkbox"/> 1006216 12"-16" Range | |
| Fixed Height Armrests (12") Full Length Armpad only. | | | |
| <input type="checkbox"/> 1006100 Single Post | <input type="checkbox"/> 1006200 Dual Post | | |
| Armrest Height If provided, Armrests will be set to this height by PDG. If left blank, the default setting will be used. Seat Pan to top of Armrest: _____ Does not include height of Armpad | | | |
| Armrest Position Indicate preference for Armrest position. If left blank, the default setting will be used. In the interest of maintaining chair stability and avoiding interference with other chair functions, PDG may not be able to accommodate stated preference. | | | |
| <input type="checkbox"/> 1006401 Rear | <input type="checkbox"/> 1006402 Mid | <input type="checkbox"/> 1006403 Front | |
| Locking Flip-up Armrests Not recommended for users with excessive strength or tone. Not compatible with Fold Down Back, Clothing Guards, Back Upholstery. Available with Full Length and Desk Length Armpads. | | | \$ 295 |
| <input type="checkbox"/> 1006310 Set at 10" Height | <input type="checkbox"/> 1006311 Set at 11" Height | <input type="checkbox"/> 1006312 Set at 12" Height | |
| <input type="checkbox"/> 1006313 Set at 13" Height | <input type="checkbox"/> 1006314 Set at 14" Height | | |

Armpads

| | | | |
|--|---|--|--------|
| Regular Armpads | | | |
| <input type="checkbox"/> 1007100 Desk Length - 2" x 10" | <input type="checkbox"/> 1007101 Full Length - 2" x 14" | | |
| Wide Armpads May interfere with wheels in some tilt configurations. | | | \$ 200 |
| <input type="checkbox"/> 1007110 Desk Length - 3" x 10" | <input type="checkbox"/> 1007111 Full Length - 3" x 12" | | |
| Gel Armpads May interfere with wheels in some tilt configurations. | | | \$ 135 |
| <input type="checkbox"/> 1007120 Full Length - 2" x 12" | <input type="checkbox"/> 1007121 Full Length - 3.5" x 12" | | |
| Contour Arm Trough with Hand Pad May interfere with wheels in some tilt configurations. | | | \$ 125 |
| <input type="checkbox"/> 1007130 Right (4.5" x 18") | <input type="checkbox"/> 1007131 Left (4.5" x 18") | | |

Armrest Options

| | | | |
|--|---|--|--------|
| Armrest Wideners Move Armrests outward by 1" on each side. Do not increase seat size. | | | |
| <input type="checkbox"/> 1007210 For Single Post Armrests | May cause tilt interference at lower Seat Height and/or Seat Depth settings. | | \$ 195 |
| <input type="checkbox"/> 1007220 For Dual Post Armrests | Limits tilt. Not compatible with 20", 22", or 24" Rear Wheels, Clothing Guards. | | \$ 375 |
| Clothing Guards Not compatible with Flip-up Armrests, Armrest Wideners. | | | |
| <input type="checkbox"/> 1007310 For Single Post Armrests | Available for 10"-14" Height range only. | | \$ 110 |
| <input type="checkbox"/> 1007320 For Dual Post Armrests | | | \$ 165 |
| Armrest Extensions Not compatible with Flip-up or Single Post Armrests. | | | \$ 75 |
| <input type="checkbox"/> 1007400 3" Extension - Forward | <input type="checkbox"/> 1007401 3" Extension - Rearward | | |

Seat Pan

1008000 **No Seat Pan**

1008001 **Solid Aluminum Seat Pan** Required for 22" Seat Depth. \$ 135

Seat Height

Don't forget **Select desired Seat-to-Floor Height** STF Height is adjustable within the range of the chosen Subframe Plate (Low/High).

| 6" Casters | Low | | | | | | High | | | | | | |
|------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|
| | RW | 13" | 14" | 15" | 16" | 17" | RW | 15" | 16" | 17" | 18" | 19" | 20" |
| 12" | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 12" | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 16" | | | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 16" | | | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 20" | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 20" | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 22" | | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 22" | | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 24" | | | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 24" | | | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |

| 8" Casters | Low | | | | | | High | | | | | | |
|------------|-----|-----|-----|--------------------------|--------------------------|--------------------------|------|-----|-----|--------------------------|--------------------------|--------------------------|--------------------------|
| | RW | 13" | 14" | 15" | 16" | 17" | RW | 15" | 16" | 17" | 18" | 19" | 20" |
| 16" | | | | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 16" | | | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 24" | | | | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 24" | | | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |

Casters

Urethane Casters 8" Casters are compatible only with 16" and 24" Rear Wheels.

1011061 6" x 1.25" Caster size 1011081 8" x 1.25" Caster size

1011063 6" x 1.50" Caster size \$ 85

1011084 8" x 2.00" Caster size \$ 135

Pneumatic Casters 8" Casters are compatible only with 16" and 24" Rear Wheels.

1011161 6" x 1.25" Caster size \$ 110

1011181 8" x 1.25" Caster size \$ 120

1011184 8" x 2.00" Caster size \$ 150

1011260 **Frog Legs 6" x 1.40" Soft Roll Casters** \$ 95

1011400 **Frog Legs Suspension Forks** Not compatible with 12", 20", or 22" Rear Wheels. Requires 6" Soft Roll Caster. \$ 395

Rear Wheels

Composite Wheels

1012012 12" Wheel size 1012016 16" Wheel size 1012020 20" Wheel size

1012022 22" Wheel size 1012024 24" Wheel size

Spoke Wheels \$ 75

1012120 20" Wheel size 1012122 22" Wheel size 1012124 24" Wheel size

1012224 **24" Heavy Duty Spoke Wheels** \$ 350

Rear Wheel Position Indicate Rear Wheel positioning preference. If left blank, the default setting will be used.
 In the interest of maintaining chair stability and avoiding interference with other chair functions, PDG may not be able to accommodate stated preference.

1012401 Rear 1012402 Mid 1012403 Front

Axle Type

1013000 **Quick Release Rear Axles**

1013010 **Fixed Rear Axles**

Rear Tires

1014000 **Urethane Tires**

1014010 **Pneumatic Tires** May result in a finished Seat Height 1/2" greater than stated. \$ 60

1014020 **Pneumatic Tires with Flat-Free Inserts** May result in a finished Seat Height 1/2" greater than stated. Not available with Spoke Wheels. \$ 95

**Select store location - AADL Numbers**

- Calgary - AADL 00000 78000 003
- Edmonton - AADL 00000 78000 001
- Grande Prairie - AADL 0000 665538 001

| Handrims | | Handrims are only available with 20", 22", and 24" Rear Wheels. |
|----------------------------------|-----------------------------------|---|
| <input type="checkbox"/> 1015000 | No Handrims | |
| <input type="checkbox"/> 1015010 | Standard Aluminum Handrims | |
| <input type="checkbox"/> 1015020 | Plastic Coated Handrims | \$ 150 |

| Wheel Locks & Brakes | | |
|----------------------------------|--|--------|
| User Wheel Locks | | |
| <input type="checkbox"/> 1016010 | Push to Lock <input type="checkbox"/> 1016020 Pull to Lock | |
| <input type="checkbox"/> 1016030 | Attendant Wheel Locks (Push to Lock) Not compatible with TTDS or the 300 & 450 lbs Weight Capacity Frames. | \$ 85 |
| <input type="checkbox"/> 1016040 | User & Attendant Wheel Locks Available with 20", 22", or 24" Rear Wheels only. Not compatible with Drum Brakes. | \$ 125 |
| <input type="checkbox"/> 1016300 | Drum Brakes Dual trigger activation (right/left side activated independently). Available with 20" Rear Wheels only. | \$ 795 |

| Wheel Lock Options | | |
|----------------------------------|---|--------|
| <input type="checkbox"/> 1016100 | Wheel Lock Extensions Not compatible with Attendant Wheel Lock. | \$ 60 |
| <input type="checkbox"/> 1016200 | Hill Holders Requires Pneumatic Rear Tires with Flat-Free Inserts. | \$ 450 |

| Anti-Tippers | | |
|---|---|--------|
| <input checked="" type="checkbox"/> 1017010 | Rear Anti-Tippers Required Safety Option. | \$ 75 |
| <input type="checkbox"/> 1017020 | Front Anti-Tippers | \$ 795 |
| <input type="checkbox"/> 1017030 | Heavy Duty Rear Anti-Tipper Provides additional rearward stability for users with excessive movement. Not compatible with Attendant Wheel Locks, Rear Floor Jacks, IV Pole, O2 Holder. | \$ 895 |

| Back Posts | |
|---|---|
| Back Post Style | |
| <input type="checkbox"/> 1018010 | Push Bar Back <input type="checkbox"/> 1018020 Cane Handle Back Seat Widths of 14"-22" only. Not compatible with Headrest Mounting Plate. |
| Back Post Height Measured from the Seat Pan to the Handle. | |
| <input type="checkbox"/> 1018425 | Short (22") <input type="checkbox"/> 1018431 Tall (25") |
| Seat to Back Angle | |
| <input type="checkbox"/> 1019090 | Set at 90° <input type="checkbox"/> 1019098 Set at 98° <input type="checkbox"/> 1019106 Set at 106° |
| <input type="checkbox"/> 1019114 | Set at 114° <input type="checkbox"/> 1019122 Set at 122° |

| Back Options | | |
|---|---|----------|
| Angle/Height Adjustable Push Bar Handle Not compatible with Headrest Mounting Plate or Cane Handle Back. | | \$ 150 |
| <input type="checkbox"/> 1019010 | Button on Outside <input type="checkbox"/> 1019011 Button on Inside | |
| <input type="checkbox"/> 1019210 | 10" Backrest Extension Requires the Angle/Height Adjustable Push Bar Handle. | \$ 150 |
| <input type="checkbox"/> 1019212 | Headrest Mounting Plate Not compatible with Backrest Extension, Angle/Height Adjustable Push Bar, Cane Handle Back. Not required if mounting to a solid Back. | \$ 95 |
| <input type="checkbox"/> 1019220 | Fold Down Back Not compatible with Reclining Back. | |
| <input checked="" type="checkbox"/> 1019230 | Spring Back Suspension Not compatible with Reclining Back. | |
| <input type="checkbox"/> 1019240 | Seating Dynamics Dynamic Rocker Back Interface Not compatible with Fold Down Back, Spring Back Suspension, 30° Recline, Cane Handle. Requires Adjustable Tension Upholstery or rigid Backrest. Finished Back Post Height 3" taller than selected Back Post Height. | \$ 2,995 |

| Back Upholstery | | |
|---|---|--------|
| <input type="checkbox"/> 1020000 | No Back Upholstery | |
| Standard Upholstery Not available with Cane Handle Back. | | \$ 195 |
| <input type="checkbox"/> 1020418 | Short (18" Height) <input type="checkbox"/> 1020421 Regular (21" Height) <input type="checkbox"/> 1020424 Tall (24" Height) | |
| <input type="checkbox"/> 1020450 | Tension Adjustable Upholstery Height of Upholstery is 16". Not available with Cane Handle Back. | \$ 295 |

See next page for more options >



BENTLEY

Select store location - AADL Numbers

- Calgary - AADL 00000 78000 003
- Edmonton - AADL 00000 78000 001
- Grande Prairie - AADL 0000 665538 001

Position of Upholstery

 Select the desired position of the top of the Upholstery relative to the Seat Pan.

| Style | 22" Back Post | | | | | | | | |
|-------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|-----|-----|-----|
| | 17" | 18" | 19" | 20" | 21" | 22" | 23" | 24" | 25" |
| Short | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | | | |
| Regular | | | | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | | | |
| Tension Adj | | | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | | | |

| Style | 25" Back Post | | | | | | | | |
|-------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|
| | 17" | 18" | 19" | 20" | 21" | 22" | 23" | 24" | 25" |
| Short | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Regular | | | | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Tall | | | | | | | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Tension Adj | | | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |

Tilt Activation

Attendant Tilt only

 Select trigger mounting location below.

- 1023011 Right Back Post 1023012 Left Back Post

User Tilt only

 Not available on widths greater than 22". Full Length Arm Pads only. Select trigger mounting location below.

\$ 100

- 1023021 Right Armrest 1023022 Left Armrest

Attendant & User Tilt

 Not available on widths greater than 22". Full Length Arm Pads only. Select trigger mounting locations below.

\$ 195

- 1023031 Right Back Post 1023032 Left Back Post
 1023041 Right Armrest 1023042 Left Armrest

Tilt Trigger Extension

\$ 50

- 1023400 **Power Tilt** 250 lbs Weight Capacity. 20° tilt range. Includes 2 batteries for off-chair charging. pdgmobility.com/power-tilt

\$ 1,795

Minimum Seat Width is 15". Power Tilt is compatible with either O2 Holder or IV Pole on the same chair, not both.

- Toggle Switch 1023421 Installed on Right side 1023422 Installed on Left side
 Button Switch 1023431 Installed on Right side 1023432 Installed on Left side
 Stealth Egg Switch 1023440 Not installed

- Optional for Egg Switch: 1023445 Swing Away Mounting Hardware Not compatible with all Headrest makes and models. \$ 625

Specify Headrest to be used: _____

Recline

Reclining Backrest (Manual)

\$ 895

30° maximum recline. Not compatible with Backrest Extension, Cane Handle Back, Spring Back Suspension, Fold Down Back, Tension Adjustable Upholstery, Dynamic Rocker Back. Requires longer Frame. Maximum Seat Depth is 19".

Front Rigging

- 1025000 **No Front Rigging** 1025001 **Sector Blocks only**

Easy-Out™ Front Rigging

 Effortless insertion and removal. No Hanger Bracket remains on frame. pdgmobility.com/easy-out

- 1025410 Fixed 70° \$ 95

- 1025420 Universal Angle Adjustable (0°-110°) Set at angle: _____ (use increments of 10°) \$ 295

Adjust angle by loosening one bolt. Tool-free leg-length adjustment. Front Rigging can interfere with casters in the 90-110° settings.

Swing Away Front Rigging

 Legacy Design. Not compatible with Easy-Out.

- 1025130 Swing Away 60° 1025140 Swing Away 70°

- 1025200 Swing Away Elevating Legrests Includes Calf Pads. \$ 375

- 1025300 1" Offset Hangers for Swing Away \$ 75

- 1025110 **Standard Plug In 70° Front Rigging** Legacy Design. Not compatible with Easy-Out.

Footplates

- 1026010 **Composite Footplates**

- 1026020 **Aluminum Angle Adjustable Footplates** \$ 165

- 1026030 **One Piece Fixed Footplate** Available on Plug In Front Rigging only. Requires selection of Composite or Aluminum Angle Adjustable. \$ 350

- 1026040 **One Piece Flip-up Footplate** Requires selection of Composite or Aluminum Angle Adjustable. \$ 395

- 1026050 **Interlocking Angle Adjustable Footplates** Available for Seat Widths up to 21" only. \$ 195

- Calgary - AADL 00000 78000 003
- Edmonton - AADL 00000 78000 001
- Grande Prairie - AADL 0000 665538 001

Footrest/Legrest Accessories

| | | | |
|---|---------|--|--------|
| Calf Pads Not compatible with Gel Padding. | | | |
| <input type="checkbox"/> | 1027012 | For Easy-Out™ Front Rigging Includes reinforced premium Calf Pad mount. | \$ 200 |
| <input type="checkbox"/> | 1027010 | For Swing Away Front Rigging | \$ 135 |
| <input type="checkbox"/> | 1027020 | Gel Padding Not compatible with Calf Pad or Easy-Out Front Rigging. | \$ 125 |
| Gel Knee Pads | | | |
| <input type="checkbox"/> | 1027032 | For Easy-Out™ Angle Adjustable Front Rigging | \$ 200 |
| <input type="checkbox"/> | 1027030 | For Swing Away ELR Front Rigging | \$ 100 |
| <input type="checkbox"/> | 1027040 | Length Adjustable Heel Loops | \$ 50 |
| <input type="checkbox"/> | 1027050 | Bodypoint Padded Calf Strap Sizes greater than 22" are not padded. | \$ 195 |
| Miller's Dynamic Footrest Mounts Not compatible with Easy-Out Front Rigging. | | | |
| <input type="checkbox"/> | 1027060 | For Standard Plug In Front Rigging | \$ 445 |
| <input type="checkbox"/> | 1027065 | For Swing Away 70° Front Rigging Not available on 13" STF Height. | \$ 575 |

Front Rigging Extension Tubes

| | | | |
|--|--|--|--------------------------|
| Regular Extension Tubes | | | |
| <input type="checkbox"/> | 1028010 | Short 14"-18" for Easy-Out Front Rigging 13"-17" for Swing Away and Standard Plug In Front Rigging | |
| <input type="checkbox"/> | 1028020 | Long 18"-24" for Easy-Out Front Rigging 15"-19" for Swing Away and Standard Plug In Front Rigging | \$ 75 |
| Extra Strength Extension Tubes (Solid) Available on Plug In Front Rigging only. Not compatible with Easy-Out Front Rigging. | | | \$ 100 |
| <input type="checkbox"/> | 1028110 | Standard (13"-17") | <input type="checkbox"/> |
| | | 1028120 | Long (15"-19") |
| | Lower Leg Length If provided, Front Rigging will be set to this length by PDG. If left blank, the default setting will be used. | | |
| | Seat Pan to Foot Plates: _____ Measured along the length of the Front Rigging. Consider the height of your Seat Cushion. | | |

Miscellaneous Options

| | | | |
|---|---------|---|--------------------------|
| One-Arm Drive Maximum Seat Width of 22". 24" Composite Wheels with Urethane Tires required. 18" STF minimum. Limits tilt. Not compatible with User & Attendant Wheel Locks, Drum Brakes, Quick Release Rear Axles. | | | \$ 3,500 |
| <input type="checkbox"/> | 1030010 | Installed on Right side | <input type="checkbox"/> |
| | | 1030011 | Installed on Left side |
| <input type="checkbox"/> | 1030050 | Protective Lower Padding | \$ 675 |
| <input type="checkbox"/> | 1030080 | Gel Hip Guides Reduces available Seat Width by 2". | \$ 395 |
| <input type="checkbox"/> | 1030110 | IV Pole Not compatible with HD Anti Tipper, Rear Floor Jacks, Attendant Wheel Locks. | \$ 295 |
| <input type="checkbox"/> | 1030120 | O2 Holder Not compatible with HD Anti Tipper, Rear Floor Jacks, Attendant Wheel Locks. | \$ 395 |
| <input type="checkbox"/> | 1030170 | Adhesive Back Hook Strip, 2" x 30" For Cushion mounting. | \$ 10 |

On-Chair Seating & Positioning

Refer to the separate Seating & Positioning order form for PDG's on-chair options. Standard PDG discounts apply. pdgmobility.com/seating

Order Notes

Please send your completed order form by email to info@pdgmobility.com or by fax to 877 323 9093.