

Select store location - AADL Numbers

☐ Calgary - AADL 00000 78000 003





Invacare® SOLARA™3G Adult Tilt-in-Space Wheelchair **AADL Customers Only AADL # W635** Effective October 1, 2021

7 00	Grande Prairie - AADL 0000 665538 001	Yes, you can:
	PHONE NO_	
	P.O. DAT	E

ADDRESS FRAME

ACCOUNT #

NAME

FRAME TYPE

■ SOLARA3G Solara 3G Tilt-in-Space Wheelchair

300lb standard weight. A seating system must be purchased for use with this wheelchair. No seating system is provided.

CUSTOM PACKAGES

Heavy Duty Package (400 lb. capacity) □ HDPG

Reinforced axles and crossbraces. Weight limit of 400 lbs.

SUSPENSION

☐ DROCK DeGage Dynamic Rocker Back

Not available with HDPG, LOSHEAR, LOSHEARWU,RCANE. The backcane selected will be installed over the DeGage adding approximately 8" to the overall height. See www.degage.us for more details.

Frog Legs Suspension Forks □ FLSE

Not available with HDPG

☐ SPACK

□ SPACK Suspension Package
Not available with HDPG, LOSHEAR, LOSHEARWO,RCANE. Includes DROCK and FLSF.

\$3,900

\$1.456

\$1 628

TRRO includes four factory-installed transport brackets and a wheelchair anchored pelvic belt. TRRO has been crash-tested in accordance with ANSI/RESNA WC Vol 1. Section 19 Frontal Impact Test requirements for wheelchairs with a 168 lb crash dummy, which corresponds to a person with a weight of 114 lbs to 209 lbs.

*TRANSPORT TIE-DOWN

\$601

TRBKTS includes four factory installed wheelchair transport brackets. TRBKTS has not been crashtested in accordance with WC19. Use these transport brackets only to secure an unoccupied wheelchair during transport.

As of this date, the Department of Transportation has not approved any tie-down systems for transportation of a user while in a wheelchair, in a moving vehicle of any type. It is Invacare's position that users of wheelchairs should be transferred into appropriate seating in vehicles for transportation and use be made of the restraints made available by the auto industry. Invacare cannot and does not recommend any wheelchair transportation systems.

* Transport Tie Down option is not retrofittable to existing models and is not field serviceable

TRANSPORT TIE DOWN

Transport Tie-Down options not retrofitable to existing models, not field serviceable.

☐ TRBKTS **Transport Brackets** No Charge

Not available with AVENT, BACKVENT, P750, 2218.

VENT TRAY OPTION

□ AVENT Ventilator Tray

Not available with HDPG. Available with 16" wide frame and above and 18" seat-to-floor height and above \$492 □ ATBOX Ventilator Battery Box \$171

☐ BACKVENT Laptop Vent Tray \$1,222 Not available with HDPG. Available with 15" wide frame and above. Not available with LOSHEAR or P750

TILTING OPTIONS

□ THR	Traditional Hand Release	Standard
☐ FRLT	Cable-Free Foot Release-Left Mount	No Charge
☐ FRRT	Cable-Free Foot Release-Right Mount	No Charge
	Tilt Lock Out Levers (pair)	No Charge
ПТІС	Tilt Lock Stops	No Charge

This is for an additional pair of tilt lock stops, one pair comes standard with chair.

SEAT WIDTH RANGE

☐ SWR1216 12"-16" Seat Width Range No Charge Not available with HDPG ☐ SWR1418 14"-18" Seat Width Range No Charge ☐ SWR1620 16"-20" Seat Width Range No Charge 18"-22" Seat Width Range ☐ SWR1822 No Charge ☐ SWR2024 20" - 24" Seat Width Range No Charge

FRAME WIDTH

ME MIDIU		
□ W12	12" Seat Width	\$159
□ W13	13" Seat Width	\$159
□ W14	14" Seat Width	\$159
□ W15	15" Seat Width	\$159
□ W16	16" Seat Width	No Charge
□ W17	17" Seat Width	No Charge
□ W18	18" Seat Width	No Charge
□ W19	19" Seat Width	No Charge
□ W20	20" Seat Width	No Charge
□ W21	21" Seat Width	\$159
□ W22	22" Seat Width	\$159
□ W23	23" Seat Width	\$159
□ W24	24" Seat Width	\$159

SEAT DEPTH RANGE

□ SDR1519 15"-19" Seat Depth Range No C □ SDR1822 18"-22" Seat Depth Range No C	narge
D SDR1822 18"-22" Seat Depth Range No C	narge
To be obtained the second seco	narge

Froglegs Suspension Forks

	Front & Rear Seat-to-Floor Heights						
	Measured from floor to top of seat rail						
	4"	5"	6"	6 "	8"		
Rear	4SPLT	5SOFT	AT 902	1259	1228		
Wheel		5SPLT	6ALUM 2		AT903		
		5ALUM					
		5ALUM2					
				16.50"			
12"	13.50"	15.50"	15.50"	17.00"	N/A		
			16.00"	17.50"			
				18.00"			
	13.50"	14.50"		17.00"			
16"	14.00"	15.00"	N/A	17.50"	18.50"		
	14.50"			18.00"	19.00"		
	15.00"						
	13.50"	14.50"					
18"	14.00"	15.00"	15.50"	18.00"	18.50"		
	14.50"	15.50"	16.00"		19.00"		
	15.00"						
		15.00"	15.50"	16.50"			
20"	15.00"	15.50"	16.00"	17.00"	N/A		
	ļ			17.50"			
				16.50"			
22"	N/A	N/A	16.00"	17.00"	18.50"		
				17.50"			
				18.00"			
2.00	27/4	27/4		16.50"	40.500		
24"	N/A	N/A	N/A	17.00"	18.50"		
	I			17.50"	19.00"		
				18.00"			

	ARA™ 3G Accessories and Options Seat Depth 12"	No Charge				<u>NOTES</u>		
□ D13	Seat Depth 13"	No Charge						
□ D14	Seat Depth 14"	No Charge	Front and l	Rear Seat-to	-Floor Heigl	its (measured f	from Floor to To	op of Seat I
□ D15	Seat Depth 15"	No Charge				T .	Π	†
□ D16	Seat Depth 16"	No Charge		4"	5" 51DC	6"	6"	8"
	ot Available with FOOTBRK.	N. Observes	Rear Wheel	4SPLT	5ALUM2	61DC	1259	81D0
□ D17	Seat Depth 17"	No Charge		4ALUM2	5SPLT	6ALUM2	1233	815D
□ D18	Seat Depth 18"	No Charge						
□ D19	Seat Depth 19"	No Charge		12 1/2"	12.1/20	15 1/20	15 1/2"	1010
□ D20	Seat Depth 20"	No Charge	12"	13"	13 1/2" 151/2"	15 1/2" 16"	16" 16 1/2"	16 1/2 17"
□ D21	Seat Depth 21"	No Charge	Pneu	13 1/2"	16"	16 1/2"	17"	17 1/2
□ D22	Seat Depth 22"	No Charge	PneuFF	15 1/2"	16 1/2"	17"	17 1/2"	18"
FRAME FINISH				16"			18"	
□ 24P	Wet Black	No Charge		12 1/2"	14 1/2"	14 1/2"	14 1/2"	
□ 29P	White Snow	No Charge		14 1/2"	14 1/2	14 1/2	14 1/2	16 1/2
□ 30P	Sunny Yellow	No Charge	12"	15"	15 1/2"	15 1/2"	15 1/2"	17"
□ 60P	Silver Metallic	No Charge	Urethane	15 1/2"	16"	16"	16"	
□ 61P	Electric Red	No Charge		16"	16 1/2"	16 1/2"	16 1/2"	
□ 62P	Electric Blue	No Charge		12 1/2"				
□ 105P	Midnight Blue	No Charge		13"	13 1/2"		14 1/2"	17"
□ 115P	Black Prism	No Charge	16"	13 1/2"	14"	14 1/2"	15" 17"	17 1/2
□ 116P	Sunkissed Orange	No Charge	10	14"	14 1/2"	15" 17"	17 1/2"	18" 18 1/2
☐ 117P	Tangerine Red	No Charge		14 1/2"	15"	17	18"	19"
□ 1177 □ 119P	Bubblegum Pink	No Charge		15"			10	
☐ 120P	Grape Madness	No Charge		13 1/2"	13 1/2"		14 1/2"	
☐ 127P	Grasshopper Green	No Charge		14"	14"	14 1/2"	15"	18"
□ 12/F	Craconoppor Groon	140 Onarge	18"	14 1/2" 15"	14 1/2" 15"	15" 15 1/2"	15 1/2"	18 1/2
				15 1/2"	15 1/2"	15 1/2	16"	19"
WHEELS				16"	16"		18"	
SEAT-TO-FLOOR HE	EIGHT					15"	15"	
□ STF125	12.5" Seat-to-Floor	No Charge		15"	15"	15 1/2"	15 1/2"	16 1/2
□ STF13	13" Seat-to-Floor	No Charge	20"	15 1/2"	15 1/2"	16"	16"	17"
□ STF135	13.5" Seat-to-Floor	No Charge		16"	16" 16 1/2"	16 1/2"	16 1/2" 17"	17 1/2
□ STF14	14" Seat-to-Floor	No Charge			10 1/2	17"	17 1/2"	
□ STF145	14.5" Seat-to-Floor	No Charge						
□ STF15	15" Seat-to-Floor	No Charge				1611	16"	16 1/2
☐ STF155	15.5" Seat-to-Floor	No Charge	22"	16"	16"	16" 16 1/2"	16 1/2" 17"	17" 17 1/2
□ STF16	16" Seat-to-Floor	No Charge	22	10	16 1/2"	17"	17 1/2"	18"
□ STF165	16.5" Seat-to-Floor	No Charge				17	18"	18 1/2
□ STF17	17" Seat-to-Floor	No Charge						
☐ STF175	17.5" Seat-to-Floor	No Charge					1610"	16 1/2
□ STF18	18" Seat-to-Floor	No Charge				16 1/2"	16 1/2"	17"
□ STF185	18.5" Seat-to-Floor	No Charge	24"	N/A	16 1/2"	16 1/2" 17"	17" 17 1/2"	17 1/2 18"
□ STF19	19" Seat-to-Floor	No Charge				17	18"	18 1/2
201110	10 0001 10 1 1001	110 Onargo						19"
CASTER OPTIONS				A11	Dimensions	Are Approxi	mate	
☐ 4SPLT	4 Composite Urethane Light Up	No Charge			Dimensions	. ne . ipproni		
Not available with F								
☐ 4ALUM2	4" x 1.4 Aluminum Soft Roll	\$134						
☐ 4ALUM2 ☐ 51DC	5" x 1" Urethane Casters	\$134 No Charge						
☐ 4ALUM2 ☐ 51DC Not available with F	5" x 1" Urethane Casters DPG.	No Charge						
☐ 4ALUM2 ☐ 51DC Not available with F ☐ 5SPLT	5" x 1" Urethane Casters DPG. 5" x 1" Composite Urethane Light Up							
☐ 4ALUM2 ☐ 51DC Not available with F ☐ 5SPLT Not available with F	5" x 1" Urethane Casters DPG. 5" x 1" Composite Urethane Light Up DPG.	No Charge						
☐ 4ALUM2 ☐ 51DC Not available with F ☐ 5SPLT Not available with F ☐ 5ALUM2	5" x 1" Urethane Casters DPG. 5" x 1" Composite Urethane Light Up DPG. 5" x 1.4 Aluminum Soft Roll	No Charge No Charge \$134						
☐ 4ALUM2 ☐ 51DC Not available with I ☐ 5SPLT Not available with I	5" x 1" Urethane Casters DPG. 5" x 1" Composite Urethane Light Up DPG. 5" x 1.4 Aluminum Soft Roll 6 in x 1 in Endura Roll Caster (Urethane)	No Charge						
☐ 4ALUM2 ☐ 51DC Not available with F ☐ 5SPLT Not available with F ☐ 5ALUM2 ☐ 61DC	5" x 1" Urethane Casters DPG. 5" x 1" Composite Urethane Light Up DPG. 5" x 1.4 Aluminum Soft Roll 6 in x 1 in Endura Roll Caster (Urethane)	No Charge No Charge \$134						
☐ 4ALUM2 ☐ 51DC Not available with F ☐ 5SPLT Not available with F ☐ 5ALUM2 ☐ 61DC Not available with F	5" x 1" Urethane Casters DPG. 5" x 1" Composite Urethane Light Up DPG. 5" x 1.4 Aluminum Soft Roll 6 in x 1 in Endura Roll Caster (Urethane) DPG. 6" X 2" Semi-Pneumatic Caster	No Charge No Charge \$134 No Charge						
☐ 4ALUM2 ☐ 51DC Not available with F ☐ 5SPLT Not available with F ☐ 5ALUM2 ☐ 61DC Not available with F ☐ 1259	5" x 1" Urethane Casters DPG. 5" x 1" Composite Urethane Light Up DPG. 5" x 1.4 Aluminum Soft Roll 6 in x 1 in Endura Roll Caster (Urethane) DPG. 6" X 2" Semi-Pneumatic Caster DPG. 8 in x 1.5 in Endura Roll Caster (Urethane)	No Charge No Charge \$134 No Charge \$132 \$150						
☐ 4ALUM2 ☐ 51DC Not available with F ☐ 5SPLT Not available with F ☐ 5ALUM2 ☐ 61DC Not available with F ☐ 1259 Not available with F ☐ 815DC ☐ 6ALUM2	5" x 1" Urethane Casters DPG. 5" x 1.4 Aluminum Soft Roll 6 in x 1 in Endura Roll Caster (Urethane) DPG. 6" X 2" Semi-Pneumatic Caster DPG. 8 in x 1.5 in Endura Roll Caster (Urethane) 6" x 1.4 Aluminum Soft Roll	No Charge No Charge \$134 No Charge \$132						
☐ 4ALUM2 ☐ 51DC Not available with F ☐ 5SPLT Not available with F ☐ 5ALUM2 ☐ 61DC Not available with F ☐ 1259 Not available with F ☐ 815DC	5" x 1" Urethane Casters DPG. 5" x 1" Composite Urethane Light Up DPG. 5" x 1.4 Aluminum Soft Roll 6 in x 1 in Endura Roll Caster (Urethane) DPG. 6" X 2" Semi-Pneumatic Caster DPG. 8 in x 1.5 in Endura Roll Caster (Urethane)	No Charge No Charge \$134 No Charge \$132 \$150						
☐ 4ALUM2 ☐ 51DC Not available with F ☐ 5SPLT Not available with F ☐ 5ALUM2 ☐ 61DC Not available with F ☐ 1259 Not available with F ☐ 815DC ☐ 6ALUM2 ☐ 81DC	5" x 1" Urethane Casters DPG. 5" x 1.4 Aluminum Soft Roll 6 in x 1 in Endura Roll Caster (Urethane) DPG. 6" X 2" Semi-Pneumatic Caster DPG. 8 in x 1.5 in Endura Roll Caster (Urethane) 6" x 1.4 Aluminum Soft Roll	No Charge No Charge \$134 No Charge \$132 \$150 \$134						
☐ 4ALUM2 ☐ 51DC Not available with F ☐ 5SPLT Not available with F ☐ 5ALUM2 ☐ 61DC Not available with F ☐ 1259 Not available with F ☐ 815DC ☐ 6ALUM2 ☐ 81DC WHEEL OPTIONS	5" x 1" Urethane Casters DPG. 5" x 1.4 Aluminum Soft Roll 6 in x 1 in Endura Roll Caster (Urethane) DPG. 6" X 2" Semi-Pneumatic Caster DPG. 8 in x 1.5 in Endura Roll Caster (Urethane) 6" x 1.4 Aluminum Soft Roll 8 in x 1 in Endura Roll Caster (Urethane)	No Charge \$134 No Charge \$132 \$150 \$134 No Charge						
□ 4ALUM2 □ 51DC Not available with F □ 5SPLT Not available with F □ 5ALUM2 □ 61DC Not available with F □ 1259 Not available with F □ 815DC □ 6ALUM2 □ 81DC WHEEL OPTIONS □ 12COM	5" x 1" Urethane Casters DPG. 5" x 1.4 Aluminum Soft Roll 6 in x 1 in Endura Roll Caster (Urethane) DPG. 6" X 2" Semi-Pneumatic Caster DPG. 8 in x 1.5 in Endura Roll Caster (Urethane) 6" x 1.4 Aluminum Soft Roll 8 in x 1 in Endura Roll Caster (Urethane) 12" Composite	No Charge \$134 No Charge \$132 \$150 \$134 No Charge						
□ 4ALUM2 □ 51DC Not available with F □ 5SPLT Not available with F □ 5ALUM2 □ 61DC Not available with F □ 1259 Not available with F □ 815DC □ 6ALUM2 □ 81DC WHEEL OPTIONS □ 12COM □ 16COM	5" x 1" Urethane Casters DPG. 5" x 1.4 Aluminum Soft Roll 6 in x 1 in Endura Roll Caster (Urethane) DPG. 6" X 2" Semi-Pneumatic Caster DPG. 8 in x 1.5 in Endura Roll Caster (Urethane) 6" x 1.4 Aluminum Soft Roll 8 in x 1 in Endura Roll Caster (Urethane) 12" Composite 16" Composite Wheels	No Charge \$134 No Charge \$132 \$150 \$134 No Charge						
□ 4ALUM2 □ 51DC Not available with F □ 5SPLT Not available with F □ 5ALUM2 □ 61DC Not available with F □ 1259 Not available with F □ 815DC □ 6ALUM2 □ 81DC WHEEL OPTIONS □ 12COM □ 16COM Not available with u	5" x 1" Urethane Casters DPG. 5" x 1" Composite Urethane Light Up DPG. 5" x 1.4 Aluminum Soft Roll 6 in x 1 in Endura Roll Caster (Urethane) DPG. 6" X 2" Semi-Pneumatic Caster DPG. 8 in x 1.5 in Endura Roll Caster (Urethane) 6" x 1.4 Aluminum Soft Roll 8 in x 1 in Endura Roll Caster (Urethane) 12" Composite 16" Composite Wheels rethane tires. Only available with aluminum handrims.	No Charge \$134 No Charge \$132 \$150 \$134 No Charge Standard No Charge						
□ 4ALUM2 □ 51DC Not available with F □ 5SPLT Not available with F □ 5ALUM2 □ 61DC Not available with F □ 1259 Not available with F □ 815DC □ 6ALUM2 □ 81DC WHEEL OPTIONS □ 12COM □ 16COM Not available with u □ 18COM	5" x 1" Urethane Casters DPG. 5" x 1.4 Aluminum Soft Roll 6 in x 1 in Endura Roll Caster (Urethane) DPG. 6" X 2" Semi-Pneumatic Caster DPG. 8 in x 1.5 in Endura Roll Caster (Urethane) 6" x 1.4 Aluminum Soft Roll 8 in x 1 in Endura Roll Caster (Urethane) 12" Composite 16" Composite Wheels	No Charge \$134 No Charge \$132 \$150 \$134 No Charge						
□ 4ALUM2 □ 51DC Not available with F □ 5SPLT Not available with F □ 5ALUM2 □ 61DC Not available with F □ 1259 Not available with F □ 815DC □ 6ALUM2 □ 81DC WHEEL OPTIONS □ 12COM □ 16COM Not available with with I □ 18COM Not available with with I □ 18COM Not available with with I □ 18COM	5" x 1" Urethane Casters DPG. 5" x 1" Composite Urethane Light Up DPG. 5" x 1.4 Aluminum Soft Roll 6 in x 1 in Endura Roll Caster (Urethane) DPG. 6" X 2" Semi-Pneumatic Caster DPG. 8 in x 1.5 in Endura Roll Caster (Urethane) 6" x 1.4 Aluminum Soft Roll 8 in x 1 in Endura Roll Caster (Urethane) 12" Composite 16" Composite Wheels rethane tires. Only available with aluminum handrims. 18" Composite Wheels	No Charge \$134 No Charge \$132 \$150 \$134 No Charge Standard No Charge						
□ 4ALUM2 □ 51DC Not available with F □ 5SPLT Not available with F □ 5ALUM2 □ 61DC Not available with F □ 1259 Not available with F □ 815DC □ 6ALUM2 □ 81DC WHEEL OPTIONS □ 12COM □ 16COM Not available with u □ 18COM	5" x 1" Urethane Casters DPG. 5" x 1.4 Aluminum Soft Roll 6 in x 1 in Endura Roll Caster (Urethane) DPG. 6" X 2" Semi-Pneumatic Caster DPG. 8 in x 1.5 in Endura Roll Caster (Urethane) 6" x 1.4 Aluminum Soft Roll 8 in x 1 in Endura Roll Caster (Urethane) 6" x 1.4 Caster (Urethane) 12" Composite Wheels rethane tires. Only available with aluminum handrims. 18" Composite Wheels rethane tires. Only available with aluminum handrims	No Charge \$134 No Charge \$132 \$150 \$134 No Charge Standard No Charge No Charge						
□ 4ALUM2 □ 51DC Not available with F □ 5SPLT Not available with F □ 5ALUM2 □ 61DC Not available with F □ 1259 Not available with F □ 815DC □ 6ALUM2 □ 81DC WHEEL OPTIONS □ 12COM □ 16COM Not available with u □ 18COM Not available with u □ 18COM Not available with u □ 18COM Not available with u □ 20COM	5" x 1" Urethane Casters DPG. 5" x 1" Composite Urethane Light Up DPG. 5" x 1.4 Aluminum Soft Roll 6 in x 1 in Endura Roll Caster (Urethane) DPG. 6" X 2" Semi-Pneumatic Caster DPG. 8 in x 1.5 in Endura Roll Caster (Urethane) 6" x 1.4 Aluminum Soft Roll 8 in x 1 in Endura Roll Caster (Urethane) 12" Composite 16" Composite Wheels rethane tires. Only available with aluminum handrims. 18" Composite Wheels rethane tires. Only available with aluminum handrims 20" Composite	No Charge \$134 No Charge \$132 \$150 \$134 No Charge Standard No Charge No Charge No Charge						
□ 4ALUM2 □ 51DC Not available with F □ 5SPLT Not available with F □ 5ALUM2 □ 61DC Not available with F □ 1259 Not available with F □ 815DC □ 6ALUM2 □ 81DC WHEEL OPTIONS □ 12COM □ 16COM Not available with u □ 18COM Not available with u □ 18COM Not available with u □ 20COM □ 22COM □ 24COM7	5" x 1" Urethane Casters DPG. 5" x 1" Composite Urethane Light Up DPG. 5" x 1.4 Aluminum Soft Roll 6 in x 1 in Endura Roll Caster (Urethane) DPG. 6" X 2" Semi-Pneumatic Caster DPG. 8 in x 1.5 in Endura Roll Caster (Urethane) 6" x 1.4 Aluminum Soft Roll 8 in x 1 in Endura Roll Caster (Urethane) 12" Composite 16" Composite Wheels rethane tires. Only available with aluminum handrims. 18" Composite Wheels rethane tires. Only available with aluminum handrims 20" Composite 22" Composite	No Charge \$134 No Charge \$132 \$150 \$134 No Charge Standard No Charge No Charge No Charge No Charge						
□ 4ALUM2 □ 51DC Not available with F □ 5SPLT Not available with F □ 5ALUM2 □ 61DC Not available with F □ 1259 Not available with F □ 1259 Not available with F □ 815DC □ 6ALUM2 □ 81DC WHEEL OPTIONS □ 12COM □ 16COM Not available with u □ 18COM Not available with u □ 18COM Not available with u □ 20COM □ 24COM7 AXLE TYPE	5" x 1" Urethane Casters DPG. 5" x 1.4 Aluminum Soft Roll 6 in x 1 in Endura Roll Caster (Urethane) DPG. 6" X 2" Semi-Pneumatic Caster DPG. 8 in x 1.5 in Endura Roll Caster (Urethane) 6" x 1.4 Aluminum Soft Roll 8 in x 1 in Endura Roll Caster (Urethane) 6" x 1.4 Composite Roll 12" Composite Wheels rethane tires. Only available with aluminum handrims. 18" Composite Wheels rethane tires. Only available with aluminum handrims 20" Composite 22" Composite 24" Composite-7 Spoke	No Charge \$134 No Charge \$132 \$150 \$134 No Charge Standard No Charge No Charge No Charge No Charge No Charge						
□ 4ALUM2 □ 51DC Not available with F □ 5SPLT Not available with F □ 5ALUM2 □ 61DC Not available with F □ 1259 Not available with F □ 815DC □ 6ALUM2 □ 81DC WHEEL OPTIONS □ 12COM □ 16COM Not available with u □ 18COM Not available with u □ 18COM Not available with u □ 20COM □ 22COM □ 24COM7 AXLE TYPE □ A1577	5" x 1" Urethane Casters DPG. 5" x 1" Composite Urethane Light Up DPG. 5" x 1.4 Aluminum Soft Roll 6 in x 1 in Endura Roll Caster (Urethane) DPG. 6" X 2" Semi-Pneumatic Caster DPG. 8 in x 1.5 in Endura Roll Caster (Urethane) 6" x 1.4 Aluminum Soft Roll 8 in x 1 in Endura Roll Caster (Urethane) 12" Composite 16" Composite Wheels rethane tires. Only available with aluminum handrims. 18" Composite Wheels rethane tires. Only available with aluminum handrims 20" Composite 22" Composite 24" Composite-7 Spoke	No Charge \$134 No Charge \$132 \$150 \$134 No Charge Standard No Charge						
□ 4ALUM2 □ 51DC Not available with F □ 5SPLT Not available with F □ 5ALUM2 □ 61DC Not available with F □ 1259 Not available with F □ 1259 Not available with F □ 815DC □ 6ALUM2 □ 81DC WHEEL OPTIONS □ 12COM □ 16COM Not available with u □ 18COM Not available with u □ 20COM □ 24COM7 AXLE TYPE	5" x 1" Urethane Casters DPG. 5" x 1.4 Aluminum Soft Roll 6 in x 1 in Endura Roll Caster (Urethane) DPG. 6" X 2" Semi-Pneumatic Caster DPG. 8 in x 1.5 in Endura Roll Caster (Urethane) 6" x 1.4 Aluminum Soft Roll 8 in x 1 in Endura Roll Caster (Urethane) 6" x 1.4 Composite Roll 12" Composite Wheels rethane tires. Only available with aluminum handrims. 18" Composite Wheels rethane tires. Only available with aluminum handrims 20" Composite 22" Composite 24" Composite-7 Spoke	No Charge \$134 No Charge \$132 \$150 \$134 No Charge Standard No Charge No Charge No Charge No Charge No Charge						
□ 4ALUM2 □ 51DC Not available with F □ 5SPLT Not available with F □ 5ALUM2 □ 61DC Not available with F □ 1259 Not available with F □ 815DC □ 6ALUM2 □ 81DC WHEEL OPTIONS □ 12COM □ 16COM Not available with u □ 18COM Not available with u □ 20COM □ 24COM7 AXLE TYPE □ A1577 □ PAXLE	5" x 1" Urethane Casters DPG. 5" x 1" Composite Urethane Light Up DPG. 5" x 1.4 Aluminum Soft Roll 6 in x 1 in Endura Roll Caster (Urethane) DPG. 6" X 2" Semi-Pneumatic Caster DPG. 8 in x 1.5 in Endura Roll Caster (Urethane) 6" x 1.4 Aluminum Soft Roll 8 in x 1 in Endura Roll Caster (Urethane) 12" Composite 16" Composite Wheels rethane tires. Only available with aluminum handrims. 18" Composite Wheels rethane tires. Only available with aluminum handrims 20" Composite 22" Composite 24" Composite-7 Spoke	No Charge \$134 No Charge \$132 \$150 \$134 No Charge Standard No Charge						
□ 4ALUM2 □ 51DC Not available with F □ 5SPLT Not available with F □ 5ALUM2 □ 61DC Not available with F □ 1259 Not available with F □ 815DC □ 6ALUM2 □ 81DC WHEEL OPTIONS □ 12COM □ 16COM Not available with u □ 18COM Not available with u □ 20COM □ 24COM7 AXLE TYPE □ A1577 □ PAXLE TIRE OPTIONS	5" x 1" Urethane Casters DPG. 5" x 1" Composite Urethane Light Up DPG. 5" x 1.4 Aluminum Soft Roll 6 in x 1 in Endura Roll Caster (Urethane) DPG. 6" X 2" Semi-Pneumatic Caster DPG. 8 in x 1.5 in Endura Roll Caster (Urethane) 6" x 1.4 Aluminum Soft Roll 8 in x 1 in Endura Roll Caster (Urethane) 12" Composite 16" Composite Wheels rethane tires. Only available with aluminum handrims 18" Composite Wheels rethane tires. Only available with aluminum handrims 20" Composite 22" Composite 22" Composite 24" Composite-7 Spoke	No Charge \$134 No Charge \$132 \$150 \$134 No Charge Standard No Charge						
□ 4ALUM2 □ 51DC Not available with F □ 5SPLT Not available with F □ 5ALUM2 □ 61DC Not available with F □ 1259 Not available with F □ 1259 Not available with F □ 815DC □ 6ALUM2 □ 81DC WHEEL OPTIONS □ 12COM □ 16COM Not available with u □ 18COM Not available with u □ 20COM □ 22COM □ 24COM7 AXLE TYPE □ A1577 □ PAXLE TIRE OPTIONS □ PNEU	5" x 1" Urethane Casters DPG. 5" x 1.4 Aluminum Soft Roll 6 in x 1 in Endura Roll Caster (Urethane) DPG. 6" X 2" Semi-Pneumatic Caster DPG. 8 in x 1.5 in Endura Roll Caster (Urethane) 6" x 1.4 Aluminum Soft Roll 8 in x 1 in Endura Roll Caster (Urethane) 6" x 1.4 Composite 16" Composite 16" Composite Wheels rethane tires. Only available with aluminum handrims 18" Composite Wheels rethane tires. Only available with aluminum handrims 20" Composite 22" Composite 24" Composite-7 Spoke Quick Release Axles Permanent Axles	No Charge \$134 No Charge \$132 \$150 \$134 No Charge Standard No Charge						
□ 4ALUM2 □ 51DC Not available with F □ 5SPLT Not available with F □ 5ALUM2 □ 61DC Not available with F □ 1259 Not available with F □ 1259 Not available with F □ 815DC □ 6ALUM2 □ 81DC WHEEL OPTIONS □ 12COM □ 16COM Not available with u □ 18COM Not available with u □ 20COM □ 24COM7 AXLE TYPE □ A1577 □ PAXLE TIRE OPTIONS □ PNEU Not available with F	5" x 1" Urethane Casters DPG. 5" x 1" Composite Urethane Light Up DPG. 5" x 1.4 Aluminum Soft Roll 6 in x 1 in Endura Roll Caster (Urethane) DPG. 6" X 2" Semi-Pneumatic Caster DPG. 8 in x 1.5 in Endura Roll Caster (Urethane) 6" x 1.4 Aluminum Soft Roll 8 in x 1 in Endura Roll Caster (Urethane) 12" Composite 16" Composite Wheels rethane tires. Only available with aluminum handrims. 18" Composite Wheels rethane tires. Only available with aluminum handrims 20" Composite 22" Composite 22" Composite 24" Composite-7 Spoke Quick Release Axles Permanent Axles Pneumatic DPG.	No Charge \$134 No Charge \$132 \$150 \$134 No Charge Standard No Charge						
□ 4ALUM2 □ 51DC Not available with F □ 5SPLT Not available with F □ 5ALUM2 □ 61DC Not available with F □ 1259 Not available with F □ 815DC □ 6ALUM2 □ 81DC WHEEL OPTIONS □ 12COM □ 16COM Not available with u □ 18COM Not available with u □ 20COM □ 24COM7 AXLE TYPE □ A1577 □ PAXLE TIRE OPTIONS □ PNEU Not available with u □ PNEUFF	5" x 1" Urethane Casters DPG. 5" x 1" Composite Urethane Light Up DPG. 5" x 1.4 Aluminum Soft Roll 6 in x 1 in Endura Roll Caster (Urethane) DPG. 6" X 2" Semi-Pneumatic Caster DPG. 8 in x 1.5 in Endura Roll Caster (Urethane) 6" x 1.4 Aluminum Soft Roll 8 in x 1 in Endura Roll Caster (Urethane) 12" Composite 16" Composite Wheels rethane tires. Only available with aluminum handrims. 18" Composite Wheels rethane tires. Only available with aluminum handrims 20" Composite 22" Composite 24" Composite 24" Composite-7 Spoke Quick Release Axles Permanent Axles Pneumatic DPG. Pneumatic-Flat Free	No Charge \$134 No Charge \$132 \$150 \$134 No Charge Standard No Charge		Solo	ot storo	location	- AANI	Numb
□ 4ALUM2 □ 51DC Not available with F □ 5SPLT Not available with F □ 5ALUM2 □ 61DC Not available with F □ 1259 Not available with F □ 815DC □ 6ALUM2 □ 81DC WHEEL OPTIONS □ 12COM □ 16COM Not available with I □ 18COM Not available with I □ 18COM Not available with I □ 20COM □ 24COM7 AXLE TYPE □ A1577 □ PAXLE TIRE OPTIONS □ PNEU Not available with II	5" x 1" Urethane Casters DPG. 5" x 1" Composite Urethane Light Up DPG. 5" x 1.4 Aluminum Soft Roll 6 in x 1 in Endura Roll Caster (Urethane) DPG. 6" X 2" Semi-Pneumatic Caster DPG. 8 in x 1.5 in Endura Roll Caster (Urethane) 6" x 1.4 Aluminum Soft Roll 8 in x 1 in Endura Roll Caster (Urethane) 12" Composite 16" Composite Wheels rethane tires. Only available with aluminum handrims. 18" Composite Wheels rethane tires. Only available with aluminum handrims 20" Composite 22" Composite 22" Composite 24" Composite-7 Spoke Quick Release Axles Permanent Axles Pneumatic DPG.	No Charge \$134 No Charge \$132 \$150 \$134 No Charge Standard No Charge					- AADL	
□ 4ALUM2 □ 51DC Not available with F □ 5SPLT Not available with F □ 5ALUM2 □ 61DC Not available with F □ 1259 Not available with F □ 815DC □ 6ALUM2 □ 81DC WHEEL OPTIONS □ 12COM □ 16COM Not available with u □ 18COM Not available with u □ 20COM □ 22COM □ 24COM7 AXLE TYPE □ A1577 □ PAXLE TIRE OPTIONS □ PNEU Not available with u □ PNEUFF	5" x 1" Urethane Casters DPG. 5" x 1" Composite Urethane Light Up DPG. 5" x 1.4 Aluminum Soft Roll 6 in x 1 in Endura Roll Caster (Urethane) DPG. 6" X 2" Semi-Pneumatic Caster DPG. 8 in x 1.5 in Endura Roll Caster (Urethane) 6" x 1.4 Aluminum Soft Roll 8 in x 1 in Endura Roll Caster (Urethane) 12" Composite 16" Composite Wheels rethane tires. Only available with aluminum handrims. 18" Composite Wheels rethane tires. Only available with aluminum handrims 20" Composite 22" Composite 24" Composite 24" Composite-7 Spoke Quick Release Axles Permanent Axles Pneumatic DPG. Pneumatic-Flat Free	No Charge \$134 No Charge \$132 \$150 \$134 No Charge Standard No Charge		Sele	Calgar	y - AADL	- AADL 00000 7 DL 00000	8000

Invad	care® SOLAF	RA™ 3G Accessories and Options			NOTE	S	
	RIM OPTIONS	•			<u> </u>		
	☐ AHDRM	Aluminum Handrims	No Charge				
	□ CHDRM	Chrome Plated Handrims	No Charge				
	□ 1512	Plastic Coated Aluminum Handrims	\$114	Seat	t Pan Growth Range (1" increr	nents)
	☐ AT1224-8 Only available with 24	Plastic Coated w/8 Oblique Projections	\$307				
	☐ AT1225-8	Plastic Coated w/8 Vertical Projections	\$307	Cha	W12 Seat		dth Range
	Only available with 24		φοσι		W12 W13	12"-1	
	☐ AT1225-12	Plastic Coated w/12 Vertical Projections	\$307		W14	13"-1	
	Only available with 24				W14 W15	13"-1	
	□ L8702	Omit Handrims	Less net(\$15))	W16	15"-1	
WHEEI	LOCKS				W17	15"-1	
VVIILL	□ FOOTBRK	Foot Operated Push To Lock Wheel Lock	No Charge		W17	17"-2	
	Not available with AVE		No Charge		W19	17"-2	
	☐ PULLOCK	Pull To Lock Wheel Locks	No Charge		W20	19"-2	
	☐ PUSHLOCK	Push To Lock Wheel Locks	No Charge		W21	19"-2	
	□ EXTLOCK	Push To Lock Wheel Locks w/6" Bolt-On Extensions	\$64		W21 W22	21"-2	
	☐ FOOTHUB	Foot Operated Hublock	\$268		W23	21"-2	
	Not available with 160				W24	23"-2	
	□ ATHUB	Cane Mount Hub Lock	No Charge		W21	23 2	
		COM. Not available with LOSHEAR.	No Chargo				
	☐ USEHUB Not available with 160	Seat Rail Mount Hub Lock COM. Only available with TAD or TAF.	No Charge				
DOS							
	SITIONING	3					
SEAT S		th and require no new hardware or parts when converting from flush t	o drop or vice verso				
		n the chair and thus, must be selected if needed.	o drop or vice versa				
	□ FLSEAT	Flush Mounted Seat Pan	\$132				
	☐ DPSEAT	Drop Mounted Seat Pan	\$132				
	FIGUE	·					
ARM H	□ SARMHT	Low Arm Hoight	No Chargo	4 TT:1//	10 E 00	D 31	T C4 15
	☐ HARMHT	Low Arm Height	No Charge No Charge	Arm Heights (meas	sured from Top of Seat	Rail to	l op of Armpad)
		High Arm Height SHEAR, LOSHEARWU or Cantilever arms.	No Charge	Arm Type	Low		High
	Not available with Loc	STEAR, LOSTILARWO OF Cantilever arms.		TAD	6 1/2"- 12 1/2"		9" - 17"
ARM T	YPE (PAIRS)			TAF	1/2" increments		1" increments
	Two Point arms have		***	FXDESK	9 1/2"		12"
	☐ FXDESK	Desk Length Fixed Height Conv	\$261	FXFULL	7 1/2		12
	Available on 15" seat of FXFULL	gepth and above. Full Length Fixed Height Conv	\$261	ADJDESK	9 1/2" - 13 1/2"		12" - 16"
	Available on 15" seat of		ΨΖΟΙ	ADJFULL	1" increments		1" increments
	☐ ADJDESK	Desk Length Adjustable Height	\$372	FADJDESK	9" - 13"		12 " - 16"
	Available on 15" seat	depth and above.	·	FADJFULL	1" increments		1" increments
	☐ ADJFULL	Full Length Adjustable Height	\$372				
	Available on 15" seat of FADJDESK		¢272				
		Two-Point Flip-Back Adjustable Ht Desk PG. Available on 15" seat depth and above. Not available with LOSHE	\$372	.			
	□ FADJFULL	Two-Point Flip-Back Adjustable Ht Full	\$372).			
		PG. Available on 15" seat depth and above. Not available with LOSHE		D.			
	□ TAF	Full Adjustable Height	\$372		Heights (measured from	n Top of	Seat Rail)
	□ TAD	Desk Adjustable Height	\$372	Back Cane Type	Inches to 10 degr		
		, ,		BH20	Straight Ca		20.5"
				BH20B/BH24B	15 1/2"		24.5"
C	ANTILEVER ARM			BH24	Straight Ca	ne	24 1/2"
		SHEAR, LOSHEARWU OR TRBKTS.	# 004	RECLINER	Straight Ca		26"
	□ AT99N	Cantilever Non Locking Bolt On Arms	\$261	RECLINER + Headr			36"
	□ AT55D	Cantilever Locking Desk Lgth Bolt On Arms	\$372	ABH1720	16.2" - 21.		29.3" - 34.3"
	□ AT55F	Cantilever Locking Full Lgth.Bolt On Arms	\$372	ADITI /20	10.2 - 21.		27.5 - 54.5
BACK	TYPE						
	☐ SCANE	Standard Aluminum Back Cane	Standard				
	□ RCANE	Steel-Reinforced Back Cane	No Charge				
	☐ LOSHEAR	Low Shear Reclining Back with Upholstery	\$1,232				
	Not Available on HDP	G. Comes with back upholstery and AASH.Available on 14" - 20" seat	width.				
		Low Shear Reclining Back without Upholstery	\$1,212				
		PG. Not available with a headrest and pillow. Comes standard with A					
	□ RECEXT	Reclining Headrest Pillow and Extension	\$131				
	☐ RLL Not available with SCA	Recliner Lockout Levers	No Charge				
	□ RLC	Recliner Lock Stops	\$31				
		. totalion book otopo	ΨΟΙ				
BACK	HEIGHT						
	□ BH20	Back Height 20"	No Charge				
	Not available with P75		NI- OI				
	□ BH20B	Back Height 20"with bend	No Charge				
	Not available with P75 ☐ BH24	io. Back Height 24"	Standard				
	☐ BH24B	Back Height 24"with bend	No Charge				
	☐ ABH1720	Adjustable Height Back Canes (17" – 20")	No Charge				
		io. Must choose the AASH when ordering the ABH1720. The ABH172		rith the 1483			
	New Adjustable Dividie	ring Handle Bar. Also not available with RCANE because it already co	neiete of heavy dut	u construction			



Select store location - AADL Numbers

- □ Calgary AADL 00000 78000 003
- ☐ Edmonton AADL 00000 78000 001
- ☐ Grande Prairie AADL 0000 665538 001

Invacare® SOLA	RA™ 3G Accessories and Options		NOTES
FOLD OPTION BACK	•		
☐ FXBACK	Non-Fold Down Back Canes	Standard	
☐ FLDBACK Not available with LC	Fold-Down Back Canes OSHEAR	No Charge	
SEAT STRAPS			
☐ 1311BK	Airline Buckle Seat Positioning Strap	\$84	
□ 1515	Auto Style Buckle Seat Positioning Strap	\$84	
□ 1321BK	Hook and Loop Seat Positioning Strap	\$66	
CHEST STRAPS			
□ 7311BK	Airline Buckle Chest Positioning Strap	\$84	
□ 9515 □ 7321BK	Auto Style Chest Positioning Strap Hook and Loop Chest Positioning Strap	\$84 \$66	
		φοσ	
BODYPOINT® PADDEI	D CALF STRAPS com for complete details. Products are not installed on chair. Measur	e chair width to determ	nina siza
☐ BPCALFS	Padded Calf Straps (13"-15")	\$54	inte size
□ BPCALFM	Padded Calf Straps (15"-18")	\$58	
☐ BPCALFL	Padded Calf Straps (18"-22")	\$67	
BODYPOINT® ANKLE			
BPAHGS □ BPAHGS	com for complete details. Products are not installed on chair. Measure Side-Release Ankle Huggers (6.5"-8")	e circumference above \$162	e ankle to determine size.
☐ BPAHGM	Side-Release Ankle Huggers (7.5"-9")	\$166	
☐ BPAHGL	Side-Release Ankle Huggers (8.5"-11.5") Side-Release Ankle Huggers (11"-13")	\$166	
☐ BPAHGXL	Side-Release Affice Huggers (11 -13)	\$171	
BODYPOINT® STAYFL			As week to a state of the state
BPSFM and BPSFL	com for complete details. Products are not installed on chair. Measur are approx 2" wider in center than BPSFNM and BPSFNL.	e snoulder width to det	termine size.
□ BPSFM □ BPSFL	Anterior Trunk Support w/Zip (13"-16") Anterior Trunk Support w/Zip (16"-19"	\$181 \$185	
□ BPSFNM	Anterior Trunk Support W/Zip (10 - 19 Anterior Trunk Support Narrow w/Zip (13"-16")	\$181	
☐ BPSFNL	Anterior Trunk Support Narrow w/Zip (16"-19")	\$185	
MISCELLAN	FOLIS		
HEADREST ACCESSO			
Headrests will ship s	eparately from chair. Non standard chair discounts apply. Please call		
□ 5500071 □ 5500061	Comfort Headrest Assembly w/ Multi Axis Hardware Basic Headrest Kit	\$375 \$279	
□ 1130083	Comfort Headrest w/ Standard Mounting Hardware	\$198	
BACK ACCESSORIES			
	AD or TAF. Not available with LOSHEAR.		
☐ ADJRGD	Adjustable Width Back Rigidizing Bar	\$48	
□ 1483 □ AASH	Non-Adjustable Stroller Handles Adj. Angle Stroller Handles (Outside Mount)	\$156 \$454	
☐ AASHIN	Adj. Angle Stroller Handles (Inside Mount)	\$454	
MISCELLANEOUS ACC	SESSODIES		
□ A1580	Rear Anti-Tippers	Standard	
□ BP02	Backpack	No Charge	
□ 1209 □ P750	Tire Pump	\$63 \$163	
Not available with HI	Oxygen Holder DPG. Not available with LOSHEAR, LOSHEARWO OR TRBKTS. Not	available with BH20 o	or ABH1720.
Not available with A\ □ 2218	VENT (vent tray).Not available with 8" casters. Not available on seat w IV Pole	vidths less then 16". \$185	
Not available with LC	OSHEAR, LOSHEARWO OR TRBKTS.	Ψ100	
	SING OPTIONS		Front Rigging Mounts
FRONT RIGGING MOU		Standard	
□ OFFMNT	STD Front Rigging Mount Offset Front Rigging Mount	No Charge	
	d for a smoother and better angle. Not available with 12"-16" seat dep	oth range	
FRONT RIGGING □ 70LIFTNT	70° Lift Off Non-Taper Footrests	\$241	
☐ 70LIFTMFX	70° Lift Off MFX Footrests	\$376	
Must select AT5543 □ 90LIFTMFX	90° Lift Off MFX Footrests	\$248	
Must select AT5543	50 Lift Oil Wil X I Oddests	·	
☐ SWING1319	0 ,	\$241	
☐ SWING914 ☐ 70NTAPER	60° Swingaway Footrest MFX 70° Swingaway Footrest	\$376 \$241	Standard Offset w/SCLAMP
□ 70MFX	70° Swingaway Footrest MFX	\$376	
Must select AT5543 □ 70STAPER	70° Tapered Swingaway Footrest	\$281	
Available on seat wid	oths 16" and above		
□ 80NTAPER	80° Non-Tapered Swingaway Footrest	\$281	Available Through Our Specials Departments • 20" High Reclining Back SM-050503023551
☐ 80MFX Must select AT5543	80° Swingaway Footrest MFX	\$376	• 25" – 26" Wide SM-010312110036
☐ 90SWING	90° Swingaway Footrest	\$248	80° Footrest Hanger SM-200411121756 Front Rigging Mount: C-090731110749
Must select AT5543 □ AT5044LIFT	Elevating Legrest	\$567	Standard on one side and
□ AT5044	Elevating Legrest	\$567	offset on the opposite side
☐ BILAT Not available with HI	Bilateral Contracture Footrest	\$457	
☐ ATL4	Centre Pivot Articulating Legrests	\$392	Select store location - AADL Numbers
Not available with 16 ☐ 110CP		\$457	☐ Calgary - AADL 00000 78000 003
	DPG. Available on 16"- 22" seat widths.	φ437	☐ Edmonton - AADL 00000 78000 001

Form No 09-746CAADL, rev 10/01/2021

Invacare® SOLARA™ 3G Accessories and Options **NOTES FOOTPLATE TYPE** Knee-to-Heel Range (Measured from edge of seat pan to back of footplate) □ 1651 Flip-Up Composite Footplate No Charge Front Rigging Type Minimum Not available □ A1562 No Charge Range adjusts in 1/2" increments. Aluminum Footplate 601 13 1/2" 17 1/2" □ A1564 \$106 Extra Large Aluminum Footplate 60° MFX 13 1/2" Not available with Bodypoint Ankle Huggers *70° 13 1/2' 18 1/2" □ AT5543 Adjustable Angle Flip-Up Footplates \$132 *70° Tapered 13 1/4' 17.00 80° 10.5" 16" ADJUSTABLE ANGLE FOOTPLATES RIGHT Bilateral Contracture Must select with BILAT 5 1/2" 9" STF125-STF16 (FOR BI-LATERAL CONTRACTURAL FOOTRESTS ONLY) Bilateral Contracture Adj. Angle Footplate Right 3.25" No Charge □ AAF325R 5 1/2" 13" STF165-STF19 □ AAF425R Adj. Angle Footplate Right 4.25" No Charge Range adjusts in 1" increments ☐ AAF525R Adj. Angle Footplate Right 5.25" No Charge 70° MFX 6 1/2' 12 1/2" No Charge ☐ AAF625R Adj. Angle Footplate Right 6.25" 80° MFX 4 5' □ AAF725R Adj. Angle Footplate Right 7.25" No Charge QN° 4 1/2 71/2" ADJUSTABLE ANGLE FOOTPLATES LEFT Infinite Range Adjustments *Elevating 20.00 14 00' (FOR BI-LATERAL CONTRACTURAL FOOTRESTS ONLY) Articulating 16.00" 24.00" ☐ AAF325L Adj. Angle Footplate Left 3.25" No Charge Contracture Platform 7 1/4" 8 1/4" ☐ AAF425L Adj. Angle Footplate Left 4.25" No Charge STF125-STF16 □ AAF525L Adj. Angle Footplate Left 5.25" No Charge Contracture Platform 11 1/2" 16" No Charge STF165-STF19 □ AAF625I Adj. Angle Footplate Left 6.25" * ALPT shifts range by 2" ☐ AAF725L Adj. Angle Footplate Left 7.25" No Charge FOOTREST/LEGREST ACCESSORIES □ 1337 Calf Strap \$63 Specifications Large Calf Pad ☐ CLFPDLRG \$268 Frame Style Tilt-in-Space Only available on Elevating leg rests Seat width + 8 1/4" (12" wheels) □ 9342 H-Heel Strap \$94 Overall Width Seat width + 9 1/4" (18-24" wheels) ☐ FRMPRBK ChairArmor Black Neoprene Frame Protectors Only available with 70LIFTNT, SWING1319, 70NTAPER, 70STAPER No Charge 12" - 24" Seat Widths ☐ FRMPRR ChairArmor Red Neoprene Frame Protectors \$70 12" - 22' Seat Depths Only available with 70LIFTNT, SWING1319, 70NTAPER, 70STAPE Back Height 17" - 20" , 20", 24" ☐ FRMPRB ChairArmor Blue Neoprene Frame Protectors \$70 0°, 5°, 10°, 15°, 20°, 25°, 30° Adjustable Angle Back Only available with 70LIFTNT, SWING1319, 70NTAPER, 70STAPER Longer Pivot And Slide Tube Tilt Range -5° to 50° □ ALPT \$132 □ ALPT3 3" Extension 90^o footrests \$132 Recliner Back 175° ☐ SCLAMP Clamp-On Sector Blocks \$57 300 lbs./400 lbs. with Heavy-Duty Package Weight Limit Not available with 70LIFTNT, 70LIFTMFX, 90LIFTMFX,AT5044LIFT, BILAT, 110CP. Adjustable angle. See Front Rigging Mounts image. Weight 34 1/2 lbs* Warranty Lifetime on frame and crossbraces **HEEL LOOP/TOE LOOP** *Base chair without Accessories

\$79

\$64

□ 1345

Toe Loops

☐ HLOOP

Tilt Assist Explained

Heel Loops Without Ankle Straps

The Solara® 3G wheelchair is shipped from the factory pre-configured with one of three "Tilt Assist" settings: Front, Mid or Rear, based solely on the seat depth range and seat depth ordered. This setting describes how the user's weight is distributed on the frame itself, i.e., does one front load the chair, rear load or is the weight evenly distributed. As compared to the 2G, the 3G requires up to 30% less force needed to tilt because of these settings. If factors other than seat depth or seat depth range come into play that affect the weight distribution of the chair, the provider has the ability to change the Tilt Assist setting in the field by simply adjusting 2 screws on each side of the


Tilt Assist Factory Setting						
	Seat Depth Range 15" - 19"	Seat Depth Range 18" - 22"				
D15	Front Setting					
D16	Front Setting					
D17	Mid Setting					
D18	Rear Setting	Front Setting				
D19	Rear Setting	Front Setting				
D20		Mid Setting				
D21		Rear Setting				
D22		Rear Setting				
The factory cotting may need to be adjusted if a centing system is added. The factory						

When adjusting the Tilt Assist there are 4 bolts to change (2 on each side.) See the illustration to the left and chart above

The Rear setting has the rocker tube telescoped entirely into the seat frame support tube where the adjustment bolt is in the bottom hole. Along the base frame the bolt is in the top hole. (e.g accommodates a seat depth that is in the highest end of the seat depth range)

For the Mid setting the adjustment bolt is simply in the middle hole along the rocker tube which telescopes out and the middle hole along the base frame. (e.g. optimal for a seat depth in the middle of the seat depth range)

The Front setting has the bolt in the top hole of the rocker tube which is fully telescoped out of the seat frame support tube and in the bottom hole along the base frame. (e.g. accommodates a seat depth in the lowest end of the seat depth range)





Invacare Canada reserves the right to change prices and specifications without notice.

HEAD OFFICE - 570 Matheson Blvd, Unit# 8, Mississauga, ON L4Z 4G4 Phone: (905) 890-8300 (800) 668-5324(Canada) Fax: (905) 890-5244 (800) 668-5478(Canada)

Invacare®, and Yes, you can., are trademarks of Invacare Corporation Select store location - AADL Numbers

0.00	t otoro roou		/\/\D		00.0
	Calgary - A	ADL	00000	78000	003

☐ Edmonton - AADL 00000 78000 001 ☐ Grande Prairie - AADL 0000 665538 001