

Customer and Order Information			
Purchase Order *	Tag		v.0910
Dealer/Provider Name *			
Purchaser Name and Contact Information *			
Shipping Address *			
User Information (if available)	Weight _____ lbs	Height _____ ft/in	*required
Order Notes/Instructions			

Base Chair & Frame Options			
☒ 2701000	Bentley LT-R 20° Manual Tilt Wheelchair	Reverse Wheel Layout enhances user access for self-propulsion. pdgmobility.com/blt-r	W340 \$ 2,685
☒ 2401009	Lightweight Aluminum Frame and Reverse Wheel Layout Upgrade	Required Option for the Bentley LT-R.	\$ 300
Frame Type All frames offer 300 lbs Weight Capacity.			
☐ 2702010	Fixed Width Frame	Select a Fixed Seat Width below.	
☐ 2702025	Adjustable Width Frame	Select an Adjustable Seat Width below.	\$ 200
User Weight Range Required for setup of tilt uplift force.			
☐ 2702431	75 lbs to 100 lbs	☐ 2702432 100 lbs to 115 lbs	☐ 2702433 115 lbs to 150 lbs
☐ 2702434	150 lbs to 200 lbs	☐ 2702435 200 lbs to 250 lbs	☐ 2702436 250 lbs to 300 lbs
☐ 2702300	Transit Tie Down System (TTDS) TTDS includes 4 factory-installed transport brackets. TTDS has been tested according to ANSI/RENSA WC 19. See Owners Manual for complete details.		
PDG Premium Colours			
☐ 2705001	Black Shimmer	☐ 2705015 Sky Blue	
☐	Other Standard PDG Premium Colour	Specify Colour _____ pdgmobility.com/colours	\$ 125

Seat Width & Depth				Overall chair width is +10.5"
Fixed Seat Widths Order with Fixed Frame.				
☐ 2703015	15" Seat Width	☐ 2703016	16" Seat Width	☐ 2703017 17" Seat Width
☐ 2703018	18" Seat Width	☐ 2703019	19" Seat Width	
☐ 2703020	20" Seat Width	☐ 2703021	21" Seat Width	☐ 2703022 22" Seat Width W111 \$ 250
☐ 2703023	23" Seat Width	☐ 2703024	24" Seat Width	W111 \$ 500
Adjustable Seat Widths Order with Adjustable Frame.				
☐ 2703215	15"-20" Range - Set at 15"	☐ 2703216	15"-20" Range - Set at 16"	☐ 2703217 15"-20" Range - Set at 17"
☐ 2703218	15"-20" Range - Set at 18"	☐ 2703219	15"-20" Range - Set at 19"	
☐ 2703220	15"-20" Range - Set at 20"			W111 \$ 250
Seat Depths				
☐ 2704016	16" Seat Depth	☐ 2704017	17" Seat Depth	☐ 2704018 18" Seat Depth
☐ 2704019	19" Seat Depth			
☐ 2704020	20" Seat Depth	☐ 2704021	21" Seat Depth	☐ 2704022 22" Seat Depth W111 \$ 250
☒ 2708001	Solid Aluminum Seat Pan			

Armrests			
Single Post Height Adjustable Armrests			
☐ 2706111	8"-11" Range	☐ 2706114	10"-14" Range
		☐ 2706116	12"-16" Range
Regular Armpads			
☐ 2707100	Desk Length - 2" x 10"	☐ 2707101	Full Length - 2" x 14"
☐ 2707310	Clothing Guards		
			\$ 125

Seat Height



Select desired Seat-to-Floor Height

STF Height is adjustable within the range of the chosen Subframe Plate (Low/High).

6" Casters	Low							High						
	RW	12"	13"	14"	15"	16"	17"	RW	14"	15"	16"	17"	18"	19"
	20"	☐	☐	☐	☐	☐	☐	20"	☐	☐	☐	☐	☐	☐
	22"	☐	☐	☐	☐	☐	☐	22"	☐	☐	☐	☐	☐	☐
8" Casters	Low							High						
	RW	12"	13"	14"	15"	16"	17"	RW	14"	15"	16"	17"	18"	19"
	24"	☐	☐	☐	☐	☐	☐	24"	☐	☐	☐	☐	☐	☐

Casters & Large Wheels

Urethane Casters

8" Casters are compatible only with 24" Large Wheels.

- ☐ 2711061 6" x 1.25" Caster size ☐ 2711081 8" x 1.25" Caster size

2714000

Composite Wheels with Urethane Tires

- ☐ 2712020 20" Wheel size ☐ 2712022 22" Wheel size ☐ 2712024 24" Wheel size

- ☒ 2713000 **Quick Release Axles**

Handrims

- ☐ 2715010 Standard Aluminum ☐ 2715000 No Handrims
☐ 2715020 Plastic Coated

\$ 175

Wheel Locks

- ☒ 2716010 **Push to Lock Wheel Locks**

- ☐ 2716100 **Wheel Lock Extensions**

Anti-Tippers

Front Anti-Tippers

Required Safety Option. Must choose one type.

- ☐ 2717010 Standard
☐ 2717015 Spring-loaded Dampens the forward-tip movement of the chair during transfers and allows for improved ground clearance. Not removable.

\$ 200

Back Post

- ☒ 2718010 **Angle/Height Adjustable Stroller Handle** Button on Outside.
 2719010

Back Post Height

Measured from the Seat Pan to the Handle.

- ☐ 2718425 Short (22") ☐ 2418431 Tall (25")

- ☒ 2719090 **90° Seat to Back Angle**

- ☒ 2719220 **Fold Down Back**

Tilt/Recline Options

- ☒ 2723011 **Attendant Tilt only** Trigger on Right Back Post.

Front Rigging

Plug In Front Rigging

- ☐ 2725410 Easy-Out Fixed 70° Effortless insertion and removal. No Hanger Bracket remains on frame.
☐ 2725110 Standard Plug In 70° Legacy Design. Not compatible with Easy-Out.

\$ 95

Footplates & Options				
Footplates				
☐	2726010	Composite		
☐	2726020	Aluminum Angle Adjustable	W107	\$ 165
☒	2727040	Length Adjustable Heel Loops		
Front Rigging Extension Tubes				
☐	2728010	Short	14"-18" for Easy-Out Front Rigging 13"-17" for Standard Plug In Front Rigging	
☐	2728020	Long	18"-24" for Easy-Out Front Rigging 15"-19" for Standard Plug In Front Rigging	\$ 75

Please send your completed order form by email to sales.pdg@permobil.com.



 Mobility
  Accessibility
  Medical Supplies
  Rentals

Calgary

- AADL: 00000 78000 003
- Phone: 1 (866) 456-0759

Edmonton

- AADL: 00000 78000 001
- Phone: 1 (800) 232-9450

Grande Prairie

- AADL: 0000 665538 001
- Phone: 1 (800) 565-1495